

# Certificate of Analysis

\* Only includes partial results. Not a California compliance certificate.

Produced: Oct 04, 2024

**Sample:** Peach Prickly Pear 4mg (Edible Liquid) • **Client:** Climbing Kites, LLC • **Batch:** Passed as California Hemp



**Batch No.:** 4235  
**Matrix:** Edible Liquid  
**Density:** 0.98356 g/ml  
**Sample ID:** ICC-241003-10-002  
**Collected on:** Oct 03, 2024  
**Received on:** Oct 03, 2024  
**Sample Size:**  
**Received By:** Stephanie Paule  
**Package Size:** 362.27 g

**Batch Result:** Passed as California Hemp

<b>Potency</b>	Tested
<b>Foreign</b>	Pass
<b>Metals</b>	Pass

### Cannabinoid Overview

<b>Δ<sup>9</sup>-THC:</b>	<b>3.95 mg/pkg</b>
<b>CBD:</b>	<b>4.20 mg/pkg</b>
<b>Sum of Cannabinoids:</b>	<b>8.15 mg/pkg</b>

### POT-INST-005: Potency

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)
CBC		ND	ND	0.00109/0.00326	CBT		ND	ND	0.000472/0.00165
CBD	4.20	0.00116	0.011	0.000333/0.00165	Δ <sup>8</sup> -THC		ND	ND	0.000267/0.00165
CBDA		ND	ND	0.000796/0.00239	Δ <sup>9</sup> -THC	3.95	0.00109	0.011	0.000440/0.00165
CBDV		ND	ND	0.000264/0.00165	THCA		ND	ND	0.000605/0.00182
CBG		ND	ND	0.000376/0.00165	THCV		ND	ND	0.000204/0.00165
CBGA		ND	ND	0.000587/0.00176	<b>Total THC**</b>	3.95	0.00109	0.011	
CBL		ND	ND	0.000260/0.00165	<b>Total CBD**</b>	4.20	0.00116	0.011	
CBN		ND	ND	0.000376/0.00165					

Total THC = THCa \* 0.877 + d9-THC; Total CBD = CBDa \* 0.877 + CBD; NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\* \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

### HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

\* Only includes partial results. Not a California compliance certificate.

