

Universal Hemp Panel

ANALYZED BY:

Anresco Laboratories
 1375 Van Dyke Avenue,
 San Francisco, CA 94124
 DEA# PA0202945

CUSTOMER:

Climbing Kites
 3825 Liberty Drive
 Iowa City 52240

MANUFACTURER:

Summit Brewing Company
 910 Montreal Circle
 Saint Paul 55102
 20046376


SAMPLE INFORMATION

Sample No.: 1371583
 Product Name: Transfusion 10mg
 Matrix: Edible (Beverage)
 Lot #: 5356

Date Collected: 12/29/2025
 Date Received: 12/26/2025
 Date Reported: 01/02/2026

TEST SUMMARY

Cannabinoid Profile: Tested
 Pesticide Residue Screen: Pass
 Heavy Metal Screen: Pass
 Mycotoxin Screen: Pass

Microbiological Screen: Pass
 Residual Solvent Screen: Pass
 Foreign Material: Pass

Customer Comment(s):

The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

Cannabinoid Profile Tested

12/30/2025

Method: MF-CHEM-15
 Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
 Limit of Detection: 0.0008 mg/g
 Limit of Quantitation: 0.0025 mg/g
 Measurement of Uncertainty Average: ±6.3%

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|--------------------------|--------|---------|--------|------------|------------|--------------------|--------------|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0294 | 0.00294 | 0.0302 | 10.72 | 10.72 | 10 | 7.18 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | 0.0284 | 0.00284 | 0.0292 | 10.35 | 10.35 | 10 | 3.53 |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | <LOQ | <LOQ | <LOQ | <LOQ | <LOQ | - | - |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| 88-THCP | ND | ND | ND | ND | ND | - | - |
| 89-THCP | ND | ND | ND | ND | ND | - | - |

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|
| Total THC | 0.0294 | 0.00294 | 0.0302 | 10.72 | 10.72 | - | - |
| Total CBD | 0.0284 | 0.00284 | 0.0292 | 10.35 | 10.35 | - | - |
| Total Cannabinoids | 0.0578 | 0.00578 | 0.0594 | 21.07 | 21.07 | - | - |
| Sum of Cannabinoids | 0.0578 | 0.00578 | 0.0594 | 21.07 | 21.07 | - | - |
| Serving Weight (g) | 364.5495 | | | | | | |
| Package Weight (g) | 364.5495 | | | | | | |
| g/ml Conversion Factor | 1.0269 | | | | | | |

Total THC = $\Delta 8\text{-THC} + \Delta 9\text{-THC} + (0.877 * \text{THCA})$

Total CBD = $\text{CBD} + (0.877 * \text{CBDA})$

Total Cannabinoids = $\Sigma (\text{neutral cannabinoids}) + [0.877 * \Sigma (\text{acidic cannabinoids})]$

Microbiological Screen Pass

01/02/2026

Measurement of Uncertainty Average: APC $\pm 35.6\%$, Y&M $\pm 31.3\%$

| Analyte | Findings | Units | Method | Limit | Status |
|---------------------------|----------|-------|--------------------|--------|--------|
| Salmonella | ND | /25g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /25g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Listeria Species | ND | /25g | AOAC 2016.07 | ND | Pass |
| Total Aerobic Plate Count | 0/10 | cfu/g | FDA BAM | 100000 | Pass |
| Total Coliforms | 0/10 | cfu/g | FDA BAM - ECC Agar | 100 | Pass |
| E. Coli | ND | /1g | FDA BAM Modified | 1 | Pass |
| Total Enterobacteriaceae | <1 | cfu/g | AOAC 2003.01 | ND | Pass |
| Staphylococcus aureus | <1 | cfu/g | AOAC 2003.07 | ND | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 100000 | Pass |

Pesticide Residue Screen Pass

01/02/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty Average:

$\pm 21.40\%$

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|----------------------|----------------|-----------------|--------------|--------|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Allethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Ancymidol | 0.02/0.06 | ND | 0.06 | Pass |
| Anthraquinone | 0.05/0.15 | ND | 0.25 | Pass |
| Atrazine | 0.007/0.02 | ND | 0.02 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Benzovindiflupyr | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Buprofezin | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clothianidin | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cyhalothrin (Lambda) | 0.030/0.10 | ND | 0.1 | Pass |

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cyprodinil | 0.03/0.10 | ND | 0.1 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| Deltamethrin I/II | 0.015/0.05 | ND | 0.05 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Dinotefuran | 0.007/0.02 | ND | 0.02 | Pass |
| Diuron | 0.007/0.02 | ND | 0.02 | Pass |
| Dodemorph | 0.003/0.01 | ND | 0.01 | Pass |
| Endosulfan I (alpha) | 0.015/0.05 | ND | 0.05 | Pass |
| Endosulfan II (beta) | 0.015/0.05 | ND | 0.05 | Pass |
| Endosulfan Sulfate | 0.015/0.05 | ND | 0.05 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Etridiazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxy carb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fensulfothion | 0.003/0.01 | ND | 0.01 | Pass |
| Fenthion | 0.003/0.01 | ND | 0.01 | Pass |
| Fenvalerate I/II | 0.015/0.05 | ND | 0.05 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Fluopyram | 0.003/0.01 | ND | 0.01 | Pass |
| Flurprimidol | 0.03/0.10 | ND | 0.1 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Indole-3-butyric Acid | 0.08/0.25 | ND | 0.25 | Pass |
| Iprodione | 0.015/0.05 | ND | 0.05 | Pass |
| Kinoprene | 0.015/0.05 | ND | 0.05 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxy | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methoprene | 0.100/0.30 | ND | 0.3 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| MGK 264 | 0.015/0.05 | ND | 0.05 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Novaluron | 0.007/0.02 | ND | 0.02 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pendimethalin | 0.030/0.10 | ND | 0.1 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phenothrin | 0.030/0.10 | ND | 0.1 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Pirimicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyraclostrobin | 0.003/0.010 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Pyriproxyfen | 0.003/0.01 | ND | 0.01 | Pass |
| Resmethrin | 0.007/0.02 | ND | 0.02 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spirodiclofen | 0.050/0.15 | ND | 0.15 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|----------------------------------|----------------|-----------------|--------------|--------|
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Tebufenozide | 0.003/0.01 | ND | 0.01 | Pass |
| Teflubenzuron | 0.007/0.02 | ND | 0.02 | Pass |
| Tetrachlorvinphos | 0.003/0.01 | ND | 0.01 | Pass |
| Tetramethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Thiabendazole | 0.007/0.02 | ND | 0.02 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Thiophanate Methyl | 0.007/0.02 | ND | 0.02 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| 2-Phenylphenol | 0.08/0.25 | ND | 0.25 | Pass |
| 3,4-Dichloroaniline | 0.08/0.25 | ND | 0.25 | Pass |
| Acetochlor | 0.05/0.15 | ND | 0.5 | Pass |
| Alachlor | 0.05/0.15 | ND | 0.25 | Pass |
| Ametryn | 0.03/0.10 | ND | 0.5 | Pass |
| Aminocarb | 0.03/0.10 | ND | 0.25 | Pass |
| Biphenyl | 0.08/0.25 | ND | 0.25 | Pass |
| Carbendazim | 0.03/0.10 | ND | 0.5 | Pass |
| Cycloate | 0.08/0.25 | ND | 0.5 | Pass |
| Cyromazine | 0.03/0.10 | ND | 0.5 | Pass |
| DCPA Dacthal, Chlorthal-dimethyl | 0.03/0.10 | ND | 0.5 | Pass |
| Diclobutrazol | 0.02/0.06 | ND | 0.5 | Pass |
| Diflubenzuron | 0.08/0.25 | ND | 0.5 | Pass |
| Diphenylamine | 0.08/0.25 | ND | 0.5 | Pass |
| Ethirimol | 0.02/0.06 | ND | 0.5 | Pass |
| Flutriafol | 0.05/0.15 | ND | 0.5 | Pass |
| Formetanate HCl | 0.03/0.10 | ND | 0.1 | Pass |
| Hexaconazole | 0.05/0.15 | ND | 0.5 | Pass |
| Hydramethylnon | 0.05/0.15 | ND | 0.5 | Pass |
| Indoxacarb | 0.05/0.15 | ND | 0.5 | Pass |
| Mandipropamid | 0.03/0.10 | ND | 0.5 | Pass |
| Metaflumizone | 0.08/0.25 | ND | 0.5 | Pass |
| Methoxyfenozide | 0.02/0.06 | ND | 0.5 | Pass |
| Metolachlor | 0.05/0.15 | ND | 0.25 | Pass |
| Nuarimol | 0.05/0.15 | ND | 0.5 | Pass |
| o,p'-DDD | 0.03/0.10 | ND | 0.1 | Pass |
| o,p'-DDE | 0.03/0.10 | ND | 0.1 | Pass |
| o,p'-DDT | 0.03/0.10 | ND | 0.1 | Pass |
| p,p'-DDD | 0.03/0.10 | ND | 0.1 | Pass |
| p,p'-DDE | 0.03/0.10 | ND | 0.1 | Pass |
| p,p'-DDT | 0.03/0.10 | ND | 0.1 | Pass |
| Pentachloroanisole | 0.10/0.30 | ND | 0.5 | Pass |
| Prometryne | 0.02/0.06 | ND | 0.5 | Pass |
| Propamocarb | 0.08/0.25 | ND | 0.5 | Pass |
| Propargite | 0.08/0.25 | ND | 0.5 | Pass |
| Propyzamide | 0.05/0.15 | ND | 0.5 | Pass |
| Pymetrozine | 0.03/0.10 | ND | 0.5 | Pass |
| Pyrimethanil | 0.03/0.10 | ND | 0.5 | Pass |
| Quinoxifen | 0.03/0.10 | ND | 0.5 | Pass |
| Sulfoxaflor | 0.03/0.10 | ND | 0.25 | Pass |
| Tau-Fluvalinate | 0.08/0.25 | ND | 0.5 | Pass |
| Terbutryn | 0.02/0.06 | ND | 0.25 | Pass |
| Thiobencarb | 0.03/0.10 | ND | 0.5 | Pass |
| Tricyclazole | 0.02/0.06 | ND | 0.5 | Pass |
| Triflumizole | 0.05/0.15 | ND | 0.5 | Pass |

Residual Solvent Screen Pass

01/02/2026

Measurement of Uncertainty Average: ±1.43%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 1 | Pass |
| Acetone | 14/40 | <LOQ | 750 | Pass |
| Acetonitrile | 14/40 | ND | 60 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| n-Butane | 14/40 | ND | 800 | Pass |
| Chloroform | 0.2/0.5 | ND | 1 | Pass |
| Ethanol | 14/40 | 3150.00 | 5000 | Pass |
| Ethyl acetate | 14/40 | 45.00 | 400 | Pass |
| Ethyl ether | 14/40 | ND | 500 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 1 | Pass |
| n-Heptane | 14/40 | ND | 500 | Pass |
| n-Hexane | 14/40 | ND | 100 | Pass |
| Isopropyl alcohol | 14/40 | ND | 500 | Pass |
| Methanol | 14/40 | ND | 250 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 1 | Pass |
| n-Pentane | 14/40 | ND | 750 | Pass |
| Propane | 14/40 | ND | 210 | Pass |
| Toluene | 14/40 | ND | 150 | Pass |
| Total xylenes (ortho-, meta-, para-) | 14/40 | ND | 150 | Pass |
| Trichloroethylene | 0.2/0.5 | ND | 1 | Pass |

Heavy Metal Screen Pass

01/02/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Measurement of Uncertainty Average: ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

Foreign Material Pass

12/31/2025

Method: MF-CHEM-7

| Analyte | Findings | Limit | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |

Mycotoxin Screen Pass

01/02/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty (MU): ±20.21%

| Analyte | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5 | ND | 5 | - |
| Aflatoxin B2 | 2/5 | ND | 20 | - |
| Aflatoxin G1 | 2/5 | ND | 20 | - |
| Aflatoxin G2 | 2/5 | ND | 20 | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 5 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by




Anresco Laboratories Inc.
INCORPORATED
OCTOBER 1
1943
CALIFORNIA

Vu Lam
Lab Co Director



Scan to verify